

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-008	74.5	75.1	0.6	0.3	166	0.02	0.31	5.9	7.9	811	20.3
	168.4	179.3	10.9	5.0	268	0.09	0.03	4.5	3.8	639	16.9
	inc.	168.4	171.7	3.3	1.5	818	0.20	0.10	12.9	10.9	1879
	inc.	169.6	171.4	1.8	0.9	1400	0.34	0.04	19.7	14.5	2910
11CLM-011	63.1	71.9	8.8	6.4	67	0.10	0.10	2.0	2.2	266	6.8
	inc.	65.8	68.4	2.6	1.9	179	0.06	0.35	5.6	6.6	759
	131.6	136.6	5.0	3.6	224	0.35	0.04	4.2	5.8	682	17.4
	inc.	132.8	135.6	2.8	2.0	380	0.40	0.10	5.8	10.2	1116
11CLM-012	90.6	93.8	3.2	2.2	110	0.36	0.02	0.6	0.1	148	4.2
	109.2	113.6	4.4	3.0	141	0.10	0.50	5.0	7.1	736	18.4
	inc.	109.2	111.4	2.2	1.5	259	0.13	0.88	9.1	11.8	1287
11CLM-013	121.8	125.7	3.9	2.7	54	0.10	0.00	1.8	1.4	196	5.1
	inc	121.8	122.5	0.7	0.5	218	0.07	0.12	6.7	5.1	748
11CLM-014	330.9	333.8	2.9	2.1	111	0.30	0.00	0.9	0.8	192	5.2
	inc.	333.1	333.8	0.6	0.4	414	0.83	0.00	2.1	2.3	628
	363.9	369.2	5.3	3.8	54	0.00	0.20	1.5	2.8	269	6.6
	inc.	366.8	369.2	2.4	1.7	100	0.07	0.48	2.5	5.2	499
11CLM-015	32.3	33.1	0.9	0.7	247	0.02	0.25	6.5	3.1	690	18.4
	51.6	52.3	0.7	1	116	0.04	0.31	4.3	2.7	455	11.8
11CLM-016	152.4	164.1	11.7	6.5	114	0.02	0.19	3.3	4.9	499	12.5
	inc.	155.3	159.8	4.5	2.5	193	0.03	0.26	5.8	8.4	851
	inc.	158.2	159.8	1.6	0.9	390	0.07	0.52	11.9	17.1	1739
	168.9	169.8	0.9	0.5	142	0.00	0.20	5.3	4.3	585	
	171.4	181.1	9.7	5.8	56	0.00	0.10	1.9	2.1	244	
	inc.	176.4	181.1	4.7	2.8	92	0.00	0.20	3.3	3.1	396
11CLM-017	99.6	101.2	1.6	1.0	217	0.10	0.08	2.8	1.3	405	11.1
	104.4	105.1	0.7	0	67	0.01	0.10	1.4	6.5	441	10.4
11CLM-018	159.5	160.4	0.9	0.6	330	0.14	0.06	3.9	0.2	508	14.4
	187.3	191.7	4.4	3.0	93	0.03	0.05	1.8	1.9	264	6.8
	inc.	188.9	191.7	2.8	1.9	135	0.02	0.06	2.5	2.6	368
	inc.	191.3	191.7	0.4	0.3	757	0.09	0.17	11.9	15.2	1979
	209.2	211.7	2.5	1.7	209	0.02	0.48	6.7	6.5	846	21.6
11CLM-019	229.9	231.2	1.3	0.7	126	0.17	0.07	3.1	3.6	433	11.0
	inc.	230.9	231.2	0.3	0.2	359	0.53	0.22	8.1	9.3	1164
11CLM-021	66.1	66.6	0.5	0.2	920	0.23	0.10	18.4	11.1	2221	59.2
11CLM-022	209.3	210.3	0.9	0.8	611	0.13	0.66	18.5	13.1	2065	53.7
	232.2	233.7	1.4	1.3	528	0.11	0.02	10.5	1.3	1029	28.7
11CLM-023	251.5	252.7	1.2	0.8	52	0.02	0.22	0.3	4.8	315	7.4
	267.8	278.5	10.8	7.4	70	0.01	0.08	1.6	2.2	248	6.3
	inc.	270.7	272.1	1.4	1.0	217	0.02	0.23	6.2	8.7	909
	293.8	320.5	26.7	18.4	69	0.06	0.11	1.9	2.3	272	6.9
	inc	300.1	311.6	11.5	7.9	140	0.06	0.20	4.2	4.9	563
	inc.	308.7	311.6	2.9	2.0	280	0.02	0.25	9.5	10.3	1181
11CLM-024	119.1	124.7	5.7	3.2	71	0.16	0.11	1.8	1.5	230	6.0
	inc.	119.1	120.0	0.9	0.5	92	0.16	0.19	2.7	2.9	361
11CLM-025	NSV										
11CLM-026	69.0	72.0	3.0	2.1	165	0.00	0.10	5.5	4.5	617	15.9
	102.5	103.4	1.0	0.7	240	0.01	0.88	6.6	8.3	995	25.3
	116.3	117.8	1.5	1.1	127	0.01	0.17	4.2	4.9	551	13.9
	131.7	132.7	1.0	0.7	65	0.00	0.05	2.6	2.7	302	7.6
	141.5	142.4	0.9	0.6	75	0.00	0.04	2.8	3.0	334	8.4
11CLM-027	220.2	223.6	3.4	1.3	146	0.01	0.11	6.4	3.5	585	15.2
	433.8	435.6	1.8	0.7	161	0.01	0.31	2.1	4.0	470	12.0
11CLM-028	50.5	55.4	4.9	3.7	88	0.03	0.06	2.0	0.9	218	5.9
	89.3	90.3	1.1	0.8	87	0.06	0.04	3.4	2.8	366	9.3
	113.6	114.6	1.1	0.8	79	0.01	0.09	2.6	3.4	356	8.9
	115.6	116.8	1.3	0.9	146	0.01	0.14	4.7	7.8	720	17.8
12CLM-030	284.8	287.0	2.1	1.2	76	0.01	0.15	2.8	3.4	365	9.1
	inc.	286.0	287.0	0.9	0.5	119	0.01	0.19	4.5	5.8	599
	329.9	330.9	1.0	0.6	250	0.00	0.26	10.7	16.9	1514	37.1
11CLM-032	344.3	349.5	5.2	2.8	95	0.09	0.02	1.6	2.3	274	7.0
	inc.	347.5	349.5	2.1	1.1	138	0.04	0.04	2.2	3.4	394
	378.4	382.1	3.7	2.0	159	1.47	0.07	4.1	4.5	582	14.8
	inc.	378.4	380.7	2.3	1.3	204	2.03	0.05	5.0	5.1	699

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
12CLM-034	63.0	115.5	52.5	26.8	16	0.01	0.04	0.5	0.6	68	1.7
inc	79.5	81.2	1.7	0.8	119	0.02	0.15	3.3	3.9	456	11.6
and inc.	106.4	108.4	2.1	1.0	70	0.01	0.23	3.1	5.1	462	11.3
and inc.	114.0	115.5	1.5	0.8	46	0.02	0.34	4.5	2.6	393	10.0
	170.7	172.2	1.5	0.7	338	0.02	0.48	11.1	15.9	1590	39.6
	202.2	204.7	2.5	1.1	98	0.14	0.05	3.1	1.8	317	8.3
	233.0	235.4	2.4	1.1	147	0.03	0.19	4.4	6.9	672	16.7
12CLM-041	101.6	103.9	2.3	1.6	44	0.01	0.02	1.2	0.8	136	3.6
	117.4	117.9	0.6	0.4	276	0.03	0.04	5.3	0.1	509	14.4
	138.5	143.1	4.6	3.1	203	0.03	0.26	4.9	4.2	636	16.5
inc	141.9	143.1	1.2	0.8	499	0.09	0.43	10.4	10.4	1462	37.9
12CLM-042	190.1	191.7	1.6	1.0	72	0.14	0.05	0.6	0.2	114	3.2
12CLM-043	159.1	159.6	0.5	0.4	93	0.00	0.00	1.3	0.1	152	4.3
	177.8	182.0	4.2	3.2	145	0.02	0.36	2.7	2.0	393	10.4
inc.	177.8	178.2	0.4	0.3	119	0.02	0.03	2.6	0.1	234	6.6
and	180.6	182.0	1.3	1.0	398	0.04	1.11	7.3	6.2	1112	29.3
12CLM-045	194.1	194.9	0.8	0.6	421	0.04	0.25	15.2	6.8	1402	37.0
	216.5	218.1	1.6	1.1	36	0.01	0.04	1.2	1.1	145	3.7
	229.5	230.1	0.6	0.4	103	0.00	0.04	3.7	3.6	430	10.9
12CLM-047	162.6	167.0	4.4	3.0	186	0.02	0.16	5.6	4.6	650	16.8
inc.	162.6	165.5	2.9	1.9	254	0.02	0.18	7.8	4.9	828	21.7
	186.8	189.6	2.8	1.8	71	0.01	0.11	2.0	2.9	302	7.6
inc.	189.0	189.6	0.6	0.4	202	0.01	0.28	5.5	8.1	837	21.0
12CLM-049	108.4	111.1	2.7	2.3	87	0.37	0.19	5.4	5.3	587	14.6
	116.7	117.2	0.5	0.4	1040	0.10	0.01	16.7	2.9	1877	52.3
	168.8	172.2	3.4	2.9	97	0.02	0.20	2.5	2.1	322	8.4
inc.	168.8	170.2	1.4	1.2	93	0.02	0.26	2.3	3.0	356	9.0
12CLM-051	8.3	9.2	0.9	0.7	292	0.03	0.68	5.7	4.0	787	20.9
	50.9	70.9	20.0	14.7	143	0.04	0.02	2.4	0.6	277	7.6
inc.	60.7	66.9	6.2	4.6	238	0.05	0.01	3.2	0.1	383	10.9
inc.	63.0	63.9	0.9	0.7	833	0.14	0.02	8.8	0.1	1212	34.7
12CLM-053	35.8	38.0	2.2	1.6	87	0.02	0.29	2.4	0.4	236	6.5
	71.8	72.1	0.3	0.2	41	0.01	0.11	4.5	3.3	396	9.9
12CLM-054	169.0	170.7	1.7	1.2	230	0.01	0.23	6.2	9.3	949	23.7
12CLM-056	12.7	18.4	5.7	4.0	335	0.10	0.80	16.3	4.5	1315	35.0
inc.	13.6	17.8	4.2	2.9	409	0.12	1.02	20.5	4.0	1566	42.1
12CLM-057	350.2	350.6	0.4	0.3	127	0.02	0.00	4.3	4.2	502	12.8
12CLM-059	12.0	31.1	19.1	15.5	30	0.02	0.01	0.6	0.2	66	1.8
inc.	12.0	12.9	0.9	0.7	72	0.03	0.04	2.1	1.7	243	6.3
and inc.	29.8	31.1	1.3	1.0	65	0.01	0.01	1.6	0.2	144	4.0
	41.2	57.0	15.8	12.8	26	0.01	0.03	0.5	0.6	79	2.0
inc.	53.7	57.0	3.3	2.7	53	0.02	0.15	1.9	2.1	244	6.2
inc.	53.7	55.2	1.6	1.3	68	0.00	0.03	0.9	1.9	196	5.0
and inc.	55.2	57.0	1.8	1.4	39	0.03	0.25	2.8	2.2	286	7.2
12CLM-060	39.0	52.7	13.7	10.3	34	0.13	0.01	0.5	0.3	73	1.9
inc.	47.5	49.4	1.9	1.4	130	0.13	0.03	2.4	0.5	262	7.2
12CLM-061	86.3	96.8	10.6	8.6	114	0.01	0.03	2.8	0.9	277	7.5
inc.	86.3	87.5	1.3	1.0	382	0.02	0.18	9.9	5.1	1055	28.0
and inc.	94.0	96.8	2.8	2.3	201	0.03	0.02	4.6	0.4	411	11.5
inc.	94.0	94.5	0.5	0.4	537	0.10	0.11	9.7	0.5	981	27.6
and inc.	96.0	96.8	0.8	0.7	247	0.02	0.00	6.7	0.6	555	15.4
12CLM-062	238.0	238.8	0.9	0.7	125	0.02	0.11	4.2	3.8	489	12.5
inc.	238.0	238.4	0.4	0.3	211	0.01	0.21	7.2	7.9	904	22.8
	263.4	269.5	6.1	5.2	62	0.04	0.03	1.6	0.1	137	3.8
inc.	263.4	265.5	2.1	1.8	82	0.03	0.05	2.0	0.0	174	4.9
and inc.	267.6	269.5	1.9	1.7	61	0.04	0.03	2.0	0.2	156	4.3
	280.0	282.6	2.6	2.2	160	0.01	0.47	3.7	2.9	497	13.0
	291.6	292.1	0.5	0.4	177	0.01	0.60	5.5	9.0	892	22.1
13CLM-066	62.8	63.8	1.1	0.4	4	8.60	0.00	0.1	0.1	192	4.6
	88.4	97.5	9.2	3.1	401	0.10	0.13	8.5	5.1	1006	26.8
inc.	92.9	97.5	4.6	1.6	727	0.20	0.09	13.5	7.0	1632	43.9
inc.	92.9	95.0	2.1	0.7	1190	0.20	0.04	21.6	13.0	2704	72.4
	138.0	151.1	13.1	4.4	53	0.10	0.15	2.9	1.4	257	6.7
inc.	149.0	151.1	2.1	0.7	68	0.60	0.31	5.6	2.5	463	11.9
	165.8	176.8	11.0	3.7	53	0.10	0.14	3.9	3.5	394	9.8
13CLM-071	418.9	421.6	2.7	1.0	73	0.03	0.09	1.8	2.8	290	7.3

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

BLIND ZONE (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
15CLM-076	456.0	458.2	2.2	1.6	56	0.08	0.02	1.4	1.8	200	5.1	
inc	457.0	458.2	1.2	0.9	90	0.04	0.02	2.2	3.0	322	8.1	
15CLM-077	712.6	715.1	2.4	1.3	391	0.04	0.04	2.6	0.8	541	15.4	
inc.	712.6	713.3	0.6	0.3	1380	0.14	0.03	7.9	2.4	1828	52.1	
15CLM-023A	266.2	274.7	8.5	5.8	65	0.01	0.05	1.3	2.5	240	6.0	
inc.	266.2	268.5	2.3	1.6	102	0.01	0.13	3.1	4.7	467	11.6	
	284.7	299.5	14.8	10.1	231	0.27	0.19	4.5	3.7	617	16.2	
inc.	284.7	286.0	1.3	0.9	891	0.64	0.10	11.3	5.7	1652	45.2	
and inc.	288.1	295.4	7.3	5.0	237	0.23	0.30	5.4	4.7	715	18.6	
15CLM-081	575.3	582.9	7.6	4.0	43	1.09	0.34	0.5	2.8	255	6.2	
inc.	581.6	582.9	1.3	0.7	73	0.04	1.07	0.1	10.2	665	15.5	
	607.4	608.1	0.7	0.4	4	0.03	0.02	0.2	4.9	246	5.4	
15CLM-084	791.0	791.9	0.9	0.6	312	0.37	0.00	1.5	0.0	382	11.0	
	800.2	815.9	15.7	9.4	90	0.22	0.01	0.4	0.3	126	3.5	
inc.	800.2	801.0	0.9	0.5	189	0.19	0.10	1.4	3.2	413	10.8	
	825.6	826.2	0.6	0.4	193	0.02	0.09	4.3	5.6	644	16.4	
17CLM-095	575.5	579.3	3.8	2.9	27	0.02	0.02	0.5	3.0	191	4.5	
inc.	575.5	576.1	0.6	0.5	115	0.01	0.01	3.0	7.4	583	14.1	
17CLM-099	730.2	732.2	2.0	1.5	72	0.01	0.02	2.1	0.5	186	5.1	
inc.	731.2	732.2	1.0	0.8	112	0.02	0.02	3.3	0.1	257	7.2	
18CLM-116	499.1	501.0	1.9	1.7	94	0.29	0.03	0.9	1.2	197	5.2	

LAS VICTORIAS ZONE												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
17CLM-101	229.9	247.4	17.6	12.5	154	1.98	0.21	3.2	3.9	532	13.6	
inc.	229.9	232.9	3.0	2.1	269	0.86	0.78	4.7	5.6	827	21.4	
and inc.	235.4	241.0	5.7	4.0	261	3.98	0.16	6.0	6.9	934	23.8	
17CLM-105	356.9	367.8	10.9	6.8	194	0.79	0.12	4.4	2.0	498	13.3	
inc.	356.9	360.1	3.3	2.0	551	0.85	0.23	11.9	4.7	1310	35.4	
inc.	358.2	359.1	0.9	0.6	1100	1.50	0.36	23.2	5.9	2413	66.1	
18CLM-107	100.9	102.1	1.1	0.7	55	0.67	0.03	1.9	0.3	166	4.5	
18CLM-109	250.9	253.6	2.7	2.0	88	0.27	0.19	1.1	2.6	282	7.1	
18CLM-117	461.65	463.9	2.3	1.2	202	1.55	0.01	3.8	1.8	476	12.8	
inc.	462.7	463.9	1.2	0.7	333	2.66	0.02	6.6	3.2	812	21.7	
20CLM-121	531.6	531.8	0.2	0.2	1	0.36	0.02	0.0	2.2	111	2.4	
20CLM-123	134.6	140.8	6.2	4.3	33	0.94	0.00	0.3	0.4	84	2.2	
20CLM-123	199.3	205.3	5.9	4.1	63	1.58	0.07	0.8	0.9	177	4.6	

SKARN FRONT ZONE												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-006	410.5	411.3	0.7	0.6	162	0.02	0.38	2.1	10.4	878	17.3	
	424.2	427.9	3.7	3.0	184	0.03	1.95	0.3	18.4	1452	28.2	
inc.	424.8	427.9	3.1	2.5	212	0.03	2.24	0.4	20.7	1641	31.9	
15CLM-023A	625.9	627.5	1.6	0.9	100	0.00	0.01	5.2	5.9	655	13.4	
inc.	625.9	626.7	0.9	0.5	137	0.01	0.02	7.5	8.5	943	19.2	
	637.0	638.8	1.9	1.0	85	0.03	0.12	0.9	3.8	351	7.1	
inc.	637.0	637.9	1.0	0.5	104	0.05	0.18	1.5	6.6	555	11.0	
	648.5	649.7	1.2	0.6	39	0.01	0.06	0.2	3.1	229	4.4	
	677.0	685.4	8.4	4.6	143	0.06	0.26	1.2	6.2	574	11.6	
inc.	681.9	685.4	3.5	1.9	263	0.13	0.27	2.4	12.2	1086	21.7	
inc.	681.9	682.7	0.8	0.4	320	0.05	0.50	1.4	29.6	2094	40.0	
11CLM-025 (extended in 2015)	485.6	505.4	19.9	16.4	113	0.54	0.37	0.9	3.6	406	8.4	
inc.	488.9	499.7	10.8	8.9	182	0.97	0.51	1.6	6.4	683	14.0	
and inc.	493.6	496.0	2.4	2.0	534	0.12	1.77	4.6	14.2	1732	36.2	
	516.3	522.0	5.8	4.7	79	0.07	0.37	0.2	0.3	149	3.4	
	602.3	605.1	2.8	2.3	185	0.40	0.13	1.1	0.1	259	6.1	
inc.	603.4	605.1	1.7	1.4	238	0.57	0.16	1.1	0.1	315	7.5	
13CLM-066	534.6	585.2	50.6	29.5	41	0.01	0.01	0.7	5.3	372	7.0	
inc.	546.0	561.0	15.0	8.7	67	0.01	0.01	0.5	6.0	423	8.1	
and inc.	573.0	585.2	12.2	7.1	45	0.01	0.02	1.7	10.8	728	1	

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

SKARN FRONT ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
13CLM-071	683.4	687.5	4.1	3.2	44	0.01	0.00	0.6	4.7	336	6.4
15CLM-081	616.1	632.9	16.8	10.0	136	0.02	0.52	0.3	4.5	458	9.4
	inc.	616.1	620.2	4.1	2.4	160	0.03	0.60	0.4	12.0	917
		645.2	654.3	9.1	5.4	24	0.02	0.27	0.0	272	5.2
	inc.	650.8	654.3	3.5	2.0	36	0.05	0.52	0.0	588	11.0
		710.2	712.3	2.1	1.2	32	0.01	0.45	1.5	274	5.6
16CLM-087	717.6	720.0	2.4	1.4	66	0.01	0.84	0.1	0.2	172	3.9
	723.3	732.8	9.6	7.6	20	0.02	0.27	0.1	1.0	109	2.2
	inc.	723.3	724.5	1.3	1.0	50	0.06	0.05	0.3	189	3.8
	and inc.	728.6	729.4	0.8	0.6	96	0.04	2.82	0.5	707	14.8
		809.5	811.6	2.1	1.7	23	0.02	0.42	0.0	76	1.7
16CLM-088	inc.	810.4	811.6	1.3	1.0	38	0.03	0.68	0.0	0.1	120
	134.1	135.0	1.0	0.5	26	0.03	0.01	0.8	0.3	78	1.7
		683.7	714.0	30.4	16.2	107	0.07	0.40	1.1	332	7.1
	inc.	683.7	691.0	7.3	3.9	190	0.13	0.37	3.4	693	14.5
	and inc.	702.3	714.0	11.8	6.3	100	0.04	0.48	0.6	289	6.2
16CLM-089	inc.	712.7	714.0	1.3	0.7	178	0.01	0.86	2.0	544	11.7
	917.9	943.9	26.0	20.5	1	0.32	0.01	0.0	0.0	9	0.2
		981.5	1052.0	70.5	55.5	13	0.02	0.23	0.1	48	1.1
	inc.	1014.7	1024.0	9.4	7.4	30	0.06	0.69	0.1	124	2.8
	and inc.	1022.4	1024.0	1.6	1.3	63	0.07	1.89	0.1	297	6.7
16CLM-091	549.0	551.6	2.6	2.2	12	0.03	0.04	0.2	0.5	50	1.0
		646.2	658.4	12.2	10.5	21	0.21	0.01	0.0	28	0.6
		662.8	677.9	15.1	13.1	39	0.01	0.05	0.1	10.2	11.4
	inc	667.5	672.3	4.8	4.2	39	0.02	0.12	0.1	23.2	1355
		788.8	798.6	9.8	7.2	65	0.01	0.02	0.3	5.0	357
17CLM-094	inc.	794.2	798.6	4.4	3.2	92	0.01	0.02	0.4	7.1	511
		691.3	700.3	9.0	6.0	602	0.05	0.05	7.1	17.9	1919
17CLM-095	inc.	693.0	700.3	7.3	4.9	737	0.05	0.06	8.6	21.8	2341
		969.8	978.5	8.7	5.7	23	0.01	0.29	0.1	106	2.2
17CLM-096	inc.	969.8	971.1	1.3	0.8	58	0.01	0.16	0.4	285	5.6
		1080.6	1082.6	2.0	1.2	131	0.05	0.02	0.3	402	8.1
17CLM-097	inc.	1080.6	1082.1	1.5	0.9	158	0.07	0.02	0.3	5.0	453
		1086.0	1139.8	53.8	33.4	105	0.02	0.95	0.3	246	5.6
17CLM-098	inc.	1086.5	1101.0	14.5	9.0	288	0.05	2.03	0.8	618	14.1
	inc.	1092.6	1096.7	4.1	2.5	686	0.08	3.65	1.0	1236	28.6
		723.1	724.7	1.6	0.8	4	0.00	0.01	0.0	140	2.5
17CLM-100		727.7	729.0	1.3	0.6	2	0.00	0.01	0.0	144	2.6
		452.5	462.6	10.1	8.8	220	0.04	0.35	3.6	5.4	719
	inc.	456.9	459.2	2.3	2.0	373	0.06	0.88	7.4	10.3	1371
17CLM-103		859.3	864.4	5.2	4.0	27	0.01	0.01	0.4	2.6	190
	inc.	859.3	860.2	1.0	0.7	126	0.03	0.00	1.7	8.2	664
17CLM-105		507.6	520.9	13.3	11.3	105	0.05	0.15	0.5	0.4	163
	inc.	510.6	513.2	2.5	2.2	318	0.11	0.41	1.4	0.8	470
		525.9	534.7	8.9	7.5	69	0.07	0.26	0.3	1.1	176
	inc.	529.8	530.5	0.8	0.6	195	0.04	1.10	0.8	4.4	603
		557.9	558.5	0.6	0.5	56	0.18	2.53	0.0	0.0	346
17CLM-106		889.3	891.7	2.5	1.9	88	0.03	0.04	0.2	10.3	678
		921.3	930.4	9.1	7.1	22	0.00	0.00	0.0	3.6	228
	inc.	926.2	930.4	4.2	3.3	30	0.01	0.00	0.1	5.8	357
		941.6	943.4	1.8	1.4	30	0.10	0.11	0.0	20.7	1205
18CLM-107		353.8	354.6	0.9	0.6	79	0.37	1.22	0.1	14.1	1013
18CLM-108		434.5	435.2	0.7	0.5	98	0.21	0.02	3.7	0.9	313
		444.7	446.4	1.7	1.2	56	0.04	0.01	2.4	0.5	191
		461.3	462.2	0.9	0.6	143	0.03	0.19	1.0	0.4	228
18CLM-110		450.0	468.9	18.9	15.1	260	0.05	0.18	0.9	0.1	326
	inc.	450.0	462.3	12.3	9.8	377	0.05	0.24	1.2	0.1	463
	inc.	450.0	455.5	5.5	4.4	598	0.07	0.40	2.1	0.1	740
18CLM-111		468.3	469.6	1.3	0.9	39	0.01	0.03	2.1	3.5	330
18CLM-112		387.5	390.9	3.4	2.8	191	0.04	0.86	3.7	9.4	980
	inc.	387.5	388.7	1.1	1.0	260	0.03	0.81	5.6	16.4	1511
		415.6	418.3	2.8	2.3	80	0.01	0.44	0.6	0.9	206
	inc.	415.6	416.8	1.3	1.0	113	0.02	0.63	0.9	1.3	291
18CLM-113		564.8	565.6	0.8	0.6	214	0.01	0.03	7.2	2.8	685
		614.7	616.1	1.4	1.0	49	0.00	0.00	2.0	2.7	284
		643.5	645.9	2.4</td							

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

SKARN FRONT ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck.* m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
18CLM-114	639.0	639.9	0.9	0.7	64	0.03	0.18	0.8	8.5	593	11.3
	654.0	654.7	0.8	0.5	35	0.00	0.03	1.2	1.9	198	4.0
18CLM-115	649.6	652.3	2.6	2.0	409	0.59	0.92	0.8	8.4	1027	21.7
inc.	649.6	650.2	0.6	0.5	477	2.23	3.67	0.6	32.3	2762	54.5
	664.2	674.1	10.0	7.5	55	0.40	0.32	0.1	1.0	154	3.3
inc.	671.2	672.6	1.5	1.1	140	0.03	1.07	0.1	5.3	561	11.5
	683.2	684.2	1.0	0.8	640	0.05	1.03	16.7	22.4	2735	56.8
18CLM-116	528.3	529.3	1.0	0.9	195	0.04	0.11	1.6	8.7	761	15.2
	541.2	542.6	1.4	1.2	19	0.00	0.03	0.2	3.2	207	3.9
18CLM-117	590.7	593.5	2.8	2.4	71	0.13	0.19	0.1	3.3	284	5.7
20CLM-121	678.6	679.1	0.5	0.4	155	1.79	2.28	0.1	22.8	1724	33.0
	682.6	683.4	0.9	0.7	51	0.02	0.29	0.1	3.0	253	5.0
	685.9	687.6	1.8	1.4	188	0.07	0.53	0.2	4.1	487	10.2
20CLM-123	405.1	407.2	2.1	1.5	30	0.01	0.68	0.0	0.0	107	2.4

*Estimated true thickness calculated based on the May 2019 43-101 resource estimate

EL SOL ZONE											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-006	55.8	56.2	0.4	0.2	84	0.02	0.05	2.5	3.3	347	8.7
	73.8	75.4	1.7	0.9	68	0.02	0.14	1.5	1.6	216	5.6
	215.5	223.3	7.8	4.2	221	0.14	0.08	6.2	2.1	589	15.8
inc.	221.5	223.3	1.8	1.0	650	0.40	0.12	16.0	0.8	1378	38.4
11CLM-011	306.3	319.8	13.6	10.6	38	0.10	0.10	1.6	1.9	206	5.2
inc.	306.3	306.7	0.4	0.3	178	0.10	0.50	6.8	4.8	741	19.2
inc.	316.7	319.2	2.4	1.9	75	0.04	0.10	3.6	4.2	434	10.8
11CLM-012	234.9	236.1	1.2	0.9	132	0.04	0.11	0.3	5.6	418	10.2
	248.4	248.8	0.4	0.3	50	0.03	0.05	2.2	4.6	362	8.7
11CLM-015	147.4	148.7	1.3		165	0.00	0.18	6.2	2.4	553	14.7
inc.	147.4	148.1	0.7		276	0.00	0.33	10.6	3.0	893	23.9
11CLM-027	0.6	25.4	24.8	9.3	124	0.03	0.09	1.9	2.1	309	8.1
inc.	9.0	11.8	2.8	1.1	404	0.00	0.02	1.4	2.5	580	16.0
and inc.	20.9	22.4	1.5	0.6	125	0.00	0.08	2.6	4.0	426	10.8
	34.8	36.1	1.4	0.5	26	0.00	0.04	0.8	1.7	145	3.5
	48.1	50.8	2.7	1.0	45	0.02	0.07	4.2	5.3	477	11.6
inc.	49.7	50.8	1.1	0.4	88	0.02	0.12	7.9	8.6	831	20.4
11CLM-029	96.6	99.3	2.7	1.9	52	0.01	0.04	2.4	0.8	196	5.2
12CLM-036	NSV										
12CLM-038	24.0	41.7	17.7	8.9	20	0.00	0.04	0.4	0.7	73	1.8
inc.	36.0	38.7	2.7	1.4	83	0.01	0.18	2.0	2.6	304	7.7
inc.	38.0	38.7	0.7	0.4	167	0.02	0.50	6.2	3.6	649	17.0
	59.5	74.5	15.0	7.5	29	0.01	0.03	0.3	1.1	94	2.3
inc.	70.8	72.5	1.8	0.9	98	0.04	0.16	1.3	4.5	378	9.3
12CLM-044	57.6	83.6	26.1	17.3	67	0.03	0.10	2.8	3.3	349	8.7
inc.	61.1	63.2	2.1	1.4	130	0.02	0.18	5.8	6.3	682	17.1
and inc.	71.0	72.8	1.8	1.2	163	0.03	0.44	6.9	8.8	905	22.5
and inc.	78.3	80.7	2.5	1.6	153	0.06	0.10	6.3	7.5	777	19.4
	96.0	97.1	1.1	0.7	265	0.06	0.24	12.4	12.9	1408	35.3
12CLM-046	104.2	105.3	1.1	0.6	179	0.02	0.12	9.4	8.1	964	24.3
	145.1	151.5	6.4	3.8	75	0.02	0.26	2.7	3.7	392	9.8
inc.	147.7	150.1	2.4	1.4	98	0.02	0.17	3.7	7.9	638	15.4
	195.5	201.4	5.9	3.5	133	0.02	0.84	1.3	0.5	301	8.3
inc.	195.5	196.3	0.8	0.4	745	0.09	5.10	0.8	0.4	1344	37.9
	208.2	211.5	3.3	2.0	74	0.01	0.13	4.0	1.2	307	8.1
12CLM-048	24.1	24.8	0.7	0.4	60	0.02	0.22	2.0	2.1	265	6.7
13CLM-071	505.5	508.5	3.0	1.0	56	0.02	0.20	1.3	4.1	321	7.7
	591.0	595.5	4.5	1.5	115	0.01	0.02	2.7	4.2	428	10.7
inc.	594.0	595.5	1.5	0.5	238	0.02	0.06	5.7	9.1	904	22.6
15CLM-023A	406.5	407.5	1.0	0.7	55	0.18	0.02	2.9	2.3	290	7.3
	431.8	432.7	0.9	0.6	39	0.01	0.00	1.3	1.2	153	3.9
15CLM-076	541.1	542.1	1.0	0.7	51	0.00	0.13	1.2	4.1	308	7.4
15CLM-077	269.2	273.8	4.6	2.5	47	0.01	0.03	1.2	0.7	132	3.5
inc.	270.9	272.1	1.2	0.6	137	0.02	0.03	3.6	1.0	336	9.1
inc.	337.0	339.5	2.5	1.3	179	0.08	0.23	2.4	1.1	355	9.7
inc.	337.0	338.8	1.9	1.0	236	0.11	0.31	3.1	1.2	459	12.6
inc.	451.5	469.1	17.6	9.4	16	0.00	0.08	0.7	0.7	91	2.3
inc.	459.0	460.5	1.4	0.8	33						

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

EL SOL ZONE (Continued)											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
15CLM-084	471.0	472.4	1.4	0.8	196	0.02	0.06	0.8	0.1	243	7.0
	598.6	600.5	1.9	1.1	94	0.01	0.08	4.0	3.2	417	10.6
	inc	599.7	600.5	0.8	0.5	191	0.01	0.17	8.0	6.4	843
16CLM-087	529.1	532.0	2.9	2.3	5	0.21	0.00	0.1	0.0	16	0.4
	inc.	531.4	532.0	0.6	0.4	21	0.63	0.00	0.5	0.2	65
18CLM-111	24.1	27.0	2.9	2.0	76	0.01	0.02	1.7	0.9	194	5.2
	256.9	257.5	0.6	0.4	506	0.21	0.09	14.1	15.1	1812	46.2
18CLM-112	2.4	3.0	0.7	0.5	128	0.03	0.24	0.7	0.0	184	5.3
18CLM-113	91.3	92.2	0.9	0.7	145	0.03	0.00	2.7	0.7	293	8.1
	304.6	306.5	1.8	1.5	239	0.66	0.04	1.8	0.7	366	10.2
	398.5	399.5	1.0	0.8	154	0.01	0.23	7.3	9.2	913	22.6
18CLM-114	104.8	105.8	1.1	0.6	66	0.04	0.01	2.4	0.4	185	5.0
LA BOCONA TARGET											
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-002	93.7	94.3	0.6	0.4	94	0.02	0.02	1.6	3.3	333	6.5
	104.0	105.9	1.9	1.2	124	0.02	0.21	2.2	1.1	295	5.7
	135.6	136.9	1.3	0.9	170	0.09	0.06	0.5	0.2	217	4.2
12CLM-035	251.2	251.7	0.5	0.3	153	0.10	0.02	2.9	0.4	304	5.9
12CLM-037	118.9	130.3	11.4	8.0	7	0.30	0.01	0.3	0.2	55	1.1
15CLM-078	77.8	85.6	7.8	3.9	37	13.51	0.01	2.2	1.7	1254	24.3
	inc.	77.8	79.7	1.9	1.0	74	27.74	0.01	6.4	3.5	2652
	195.0	211.5	16.5	8.2	150	0.49	0.01	3.4	0.7	365	7.1
	inc.	196.1	200.3	4.2	2.1	354	1.09	0.02	7.9	0.7	802
	inc.	196.1	196.9	0.8	0.4	1170	1.13	0.03	21.9	1.2	2229
	221.2	232.3	11.1	5.6	236	0.76	0.03	3.7	1.7	535	10.4
	inc.	222.2	228.7	6.5	3.3	365	1.26	0.04	5.7	2.2	814
	inc.	222.2	224.2	2.0	1.0	808	2.26	0.01	12.4	3.0	1652
	235.7	237.6	1.9	1.0	425	0.01	0.06	9.3	1.2	876	17.0
	inc.	236.5	236.8	0.3	0.2	2430	0.02	0.37	53.5	5.7	4980
	248.0	252.1	4.1	2.1	200	0.03	0.01	3.4	0.5	373	7.2
	inc.	249.0	250.0	1.0	0.5	601	0.05	0.02	10.7	1.2	1113
	255.4	262.6	7.2	3.6	584	0.16	0.06	10.4	1.4	1105	21.4
	inc.	255.4	259.9	4.5	2.2	903	0.23	0.08	16.1	2.2	1706
	324.4	331.7	7.3	3.7	291	0.16	0.02	7.2	0.9	651	12.6
	inc.	327.4	331.7	4.3	2.2	454	0.24	0.04	11.2	1.2	1002
15CLM-082	44.5	46.2	1.7	0.8	4	0.64	0.00	0.3	0.4	84	1.6
	184.3	194.4	10.1	4.8	88	1.39	0.05	1.6	2.1	378	7.3
	inc.	184.3	186.9	2.6	1.3	322	5.00	0.17	5.7	7.7	1358
15CLM-083	419.7	420.5	0.8	0.4	308	0.10	0.15	8.3	8.1	1094	21.2
	431.8	437.8	6.0	3.2	124	0.05	0.04	1.8	0.5	233	4.5
	inc.	434.0	435.0	1.0	0.5	530	0.08	0.03	8.5	1.2	957
	444.2	445.9	1.7	0.9	224	0.11	0.28	2.3	1.2	425	8.2
	inc.	444.2	445.0	0.8	0.4	439	0.15	0.54	4.9	1.9	813
	481.6	490.1	8.6	4.6	195	0.18	0.37	0.7	2.5	411	8.0
11CLM-010 (extended in 2015)	487.4	489.3	1.9	1.0	636	0.51	0.73	2.8	8.0	1286	24.9
	inc.	503.5	509.3	5.8	3.5	130	0.38	1.12	1.3	9.3	817
15CLM-080	HOLE LOST	Anomalous Au mineralization at end									
11CLM-001 (extended in 2016)	751.1	759.6	8.6	UNK	16	0.02	0.06	0.2	0.2	42	0.8
	inc.	758.6	759.6	1.0	UNK	80	0.02	0.11	0.8	0.9	175
	864.5	876.0	11.5	UNK	12	0.15	0.24	0.0	1.6	134	2.6
	inc.	865.7	867.0	1.3	UNK	41	1.18	1.05	0.0	7.7	650
	887.7	897.4	9.8	UNK	20	0.02	0.22	0.2	0.1	60	1.2
16CLM-090	896.0	897.4	1.4	UNK	112	0.04	1.04	1.1	0.8	320	6.2
	163.0	163.6	0.6	0.3	81	0.07	0.00	1.7	0.5	185	3.6
	300.1	303.8	3.7	2.4	6	0.02	0.14	0.0	0.9	68	1.3
	inc.	301.5	302.7	1.3	0.8	2	0.02	0.04	0.0	1.8	103
	314.5	317.5	3.0	1.9	7	0.02	0.15	0.0	0.0	27	0.5
17CLM-092	316.7	317.8	1.1	0.7	24	0.05	0.67	0.0	0.1	108	2.1
	130.7	131.2	0.5	0.3	33	0.13	0.00	0.4	1.3	127	2.5
	241.5	242.1	0.6	0.3	178	0.13	0.01	4.7	2.8	526	10.2
17CLM-093	370.2	371.7	1.6	0.8	36	0.36	0.92	0.0	1.2	231	4.5
	284.6	288.3	3.7	1.8	1	0.33	0.00	0.0	0.1	33	0.6
	585.0	586.3	1.3	0.7	75	0.01	0.01	0.5	1.4	168	3.3

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
20CLM-125	23.8	80.6	56.8	30.9	24	0.87	0.02	0.6	0.4	137	2.7	
inc.	23.8	58.2	34.4	18.7	32	1.30	0.03	0.7	0.6	196	3.8	
inc.	23.8	52.3	28.5	15.5	36	1.41	0.02	0.7	0.6	209	4.0	
inc.	31.4	34.1	2.8	1.5	72	5.09	0.08	1.0	0.5	540	10.4	
and inc.	48.9	52.3	3.4	1.8	57	2.59	0.03	1.2	1.7	396	7.7	
	135.0	138.1	3.1	1.7	17	0.66	0.03	0.8	0.5	134	2.6	
	216.8	267.4	50.6	33.2	224	0.29	0.03	3.6	1.8	493	9.6	
inc.	216.8	236.6	19.8	13.0	183	0.25	0.03	2.3	0.8	340	6.6	
inc.	221.8	227.8	6.1	4.0	421	0.45	0.01	5.5	1.9	782	15.1	
inc.	223.7	224.6	0.9	0.6	1420	0.64	0.01	16.7	0.6	2190	42.4	
and inc.	237.8	247.1	9.3	6.1	344	0.59	0.04	5.7	3.9	833	16.1	
and inc.	250.8	253.0	2.2	1.4	520	0.34	0.06	10.6	9.8	1496	29.0	
and inc.	257.6	265.2	7.5	5.0	364	0.30	0.03	7.0	1.8	771	14.9	
	326.7	328.2	1.4	1.0	1070	0.09	0.12	23.3	3.2	2220	43.0	
20CLM-127	44.7	56.1	11.4	7.0	24	0.93	0.01	0.5	0.7	155	3.0	
	115.8	121.5	5.7	3.5	13	0.79	0.02	0.2	0.2	95	1.8	
	132.5	175.7	43.2	26.5	26	0.37	0.02	0.5	0.4	96	1.9	
inc.	132.5	134.6	2.1	1.3	131	2.56	0.15	4.3	3.6	707	13.7	
and inc.	160.2	161.9	1.7	1.0	40	1.75	0.01	2.4	0.2	286	5.5	
	214.2	224.2	10.0	6.1	162	0.57	0.01	3.2	1.3	405	7.8	
	284.9	286.5	1.6	1.0	162	0.07	0.03	3.5	1.2	378	7.3	
	288.9	292.0	3.1	1.9	199	0.25	0.01	1.2	1.0	321	6.2	
	301.3	307.6	6.3	3.8	62	0.13	0.01	1.6	0.6	169	3.3	
20CLM-128	186.3	187.1	0.8	0.5	40	1.19	0.00	0.8	0.7	198	3.8	
	217.1	218.1	1.0	0.6	93	0.05	0.01	1.9	2.2	290	5.6	
	254.2	255.1	0.9	0.6	460	0.21	0.24	9.4	12.6	1543	29.9	
	257.4	258.5	1.1	0.7	232	0.10	0.06	4.2	4.5	652	12.6	
	265.8	267.0	1.3	0.8	423	0.17	0.22	7.5	2.9	920	17.8	
	277.7	278.6	0.9	0.6	35	0.24	0.96	0.0	8.5	604	11.7	
	284.9	291.3	6.4	4.3	146	0.19	0.02	2.9	1.6	370	7.2	
inc.	290.5	291.3	0.8	0.5	0.5	809	0.41	0.11	17.1	9.1	2028	39.3
	329.2	330.0	0.8	0.5	44	0.08	0.08	0.7	10.5	631	12.2	
20CLM-129	244.3	265.2	20.9	9.0	212	0.64	0.06	3.7	3.3	587	11.4	
inc.	248.3	255.7	7.4	3.2	287	1.64	0.09	4.6	4.8	860	16.7	
	269.1	275.7	6.6	2.8	51	0.10	0.29	0.8	2.3	245	4.7	
inc.	274.5	275.7	1.2	0.5	188	0.16	0.57	3.7	9.1	889	17.2	
	291.7	292.6	0.9	0.4	71	0.05	0.15	0.3	3.5	286	5.5	
20CLM-131	280.5	280.9	0.4	0.2	469	0.18	0.02	11.3	32.1	2610	50.5	
	299.9	315.0	15.1	8.0	1072	0.61	0.39	18.8	7.5	2325	45.0	
inc.	303.4	307.6	4.3	2.3	1084	1.61	0.45	20.2	12.9	2764	53.5	
and inc.	310.7	311.8	1.1	0.6	3180	0.29	0.33	58.8	2.3	5791	112.1	
and inc.	312.5	314.1	1.6	0.8	2340	0.08	0.51	35.9	1.6	3971	76.9	
	319.3	335.4	16.1	8.5	121	0.06	0.10	2.5	2.5	368	7.1	
inc.	330.7	333.7	3.0	1.6	413	0.18	0.36	8.7	9.3	1307	25.3	
	347.1	351.4	4.3	2.3	36	0.21	1.47	0.1	0.1	230	4.5	
inc.	350.4	351.4	1.0	0.5	59	0.60	3.37	0.0	0.1	494	9.6	

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
20CLM-132	190.5	191.1	0.6	0.4	70	0.30	0.02	3.0	3.1	374	7.2	
	238.4	241.6	3.2	2.0	20	0.04	0.12	0.0	6.5	373	7.2	
	251.9	254.1	2.2	1.4	50	0.07	0.02	1.3	0.5	141	2.7	
	271.1	272.7	1.6	1.0	112	0.08	0.01	2.0	0.8	241	4.7	
20CLM-134	11.9	16.2	4.3	1.9	11	0.74	0.01	0.5	0.2	99	1.9	
	69.5	73.6	4.1	1.8	46	1.90	0.01	3.4	2.3	454	8.8	
	inc.	72.0	73.6	1.6	0.7	85	4.33	0.03	7.4	5.4	1003	19.4
	215.1	215.5	0.4	0.2	1230	0.06	0.08	28.9	8.5	2878	55.7	
	248.4	257.6	9.2	4.1	205	0.16	0.00	4.0	0.9	428	8.3	
	inc.	251.7	252.9	1.3	0.6	575	0.05	0.01	9.9	2.2	1102	21.4
21CLM-135	289.2	290.9	1.7	0.8	82	0.06	0.02	1.5	0.4	172	3.3	
	92.4	94.5	2.1	1.1	141	2.76	0.01	2.7	2.1	578	11.2	
	328.8	329.6	0.8	0.4	153	5.66	0.05	0.7	0.3	636	12.3	
	384.0	396.1	12.1	6.3	134	0.47	2.29	0.3	0.6	474	9.2	
	inc.	385.9	388.0	2.1	1.1	567	2.33	11.20	0.6	2.0	2148	41.6
21CLM-136	93.3	94.8	1.5	1.1	26	0.69	0.02	0.5	0.5	128	2.5	
	104.8	105.3	0.5	0.4	44	7.81	0.02	1.5	1.8	801	15.5	
	157.1	157.5	0.4	0.3	226	2.55	0.06	8.7	12.5	1434	27.8	
	166.2	167.3	1.2	0.8	40	1.16	0.01	1.2	0.7	214	4.1	
	170.3	176.3	6.0	4.2	241	1.41	0.05	7.3	2.5	785	15.2	
	inc.	174.5	176.3	1.8	1.3	525	3.45	0.01	15.1	2.4	1537	29.8
	291.0	296.5	5.4	3.8	217	0.30	0.06	3.3	0.7	418	8.1	
	303.9	306.4	2.5	1.8	93	0.18	0.01	1.8	0.4	202	3.9	
21CLM-137	37.1	41.5	4.4	2.5	10	1.64	0.00	0.9	0.2	183	3.6	
	inc.	37.6	38.7	1.2	0.7	9	4.56	0.01	0.9	0.3	417	8.1
21CLM-138	75.3	77.0	1.8	1.0	7	1.68	0.04	0.2	0.2	158	3.1	
21CLM-139	50.3	53.1	2.8	1.4	31	1.12	0.01	1.2	0.7	202	3.9	
inc.	50.3	51.6	1.3	0.7	53	2.22	0.02	2.1	0.5	334	6.5	
21CLM-140	329.4	338.0	8.6	7.5	261	0.14	0.02	7.0	1.7	652	12.6	
inc.	331.8	336.9	5.1	4.5	324	0.15	0.02	8.8	2.4	826	16.0	
21CLM-141	397.4	417.8	20.4	12.5	51	0.14	0.88	0.0	0.1	168	3.3	
	inc.	399.5	412.4	12.9	7.9	60	0.17	1.16	0.0	0.1	209	4.1
	425.3	427.1	1.8	1.1	120	0.10	1.53	0.0	0.1	307	5.9	
21CLM-142	346.5	348.0	1.5	0.7	47	0.10	0.36	0.3	0.7	143	2.8	
21CLM-143	110.4	117.5	7.1	4.0	57	2.24	0.07	2.3	0.9	381	7.4	
	137.5	138.0	0.5	0.3	770	0.22	0.10	17.9	11.1	2111	40.9	
	159.7	168.0	8.3	4.7	58	2.23	0.03	1.7	1.6	386	7.5	
	inc.	162.8	165.8	2.9	1.7	108	5.22	0.05	3.2	3.3	816	15.8
	275.3	282.4	7.1	4.0	161	0.22	0.01	3.1	0.4	329	6.4	
	inc.	281.9	282.4	0.5	0.3	594	0.03	0.01	10.5	1.6	1114	21.6
	368.9	373.1	4.2	2.4	335	0.19	0.26	5.3	2.4	722	14.0	
	inc.	371.7	373.1	1.4	0.8	636	0.36	0.45	10.5	2.8	1289	25.0
	382.9	386.2	3.3	1.9	74	0.07	0.09	1.0	0.7	170	3.3	
21CLM-144	390.4	393.6	3.2	1.8	167	0.29	0.33	4.0	3.3	566	11.0	
	inc.	391.8	392.2	0.5	0.3	696	1.30	1.91	20.6	11.0	2428	47.0
	363.0	366.5	3.6	2.9	174	0.59	0.14	4.3	5.0	671	13.0	
inc.	363.0	363.9	0.9	0.8	361	1.52	0.32	8.9	11.7	1484	28.7	
21CLM-145	HOLE LOST IN LARGE CAVE											

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
21CLM-146	236.4	240.3	3.9	1.5	118	0.14	0.01	1.8	0.8	249	4.8	
inc.	237.7	238.0	0.3	0.1	468	0.57	0.04	5.2	1.1	788	15.3	
and inc.	239.8	240.3	0.5	0.2	528	0.56	0.00	9.3	4.5	1186	23.0	
	296.3	296.9	0.6	0.2	39	0.50	0.20	2.8	2.6	349	6.8	
	349.7	352.9	3.2	1.2	49	0.08	0.90	0.5	0.7	212	4.1	
inc.	351.0	351.9	0.9	0.3	106	0.17	2.34	1.0	1.9	524	10.1	
	359.6	363.7	4.1	1.6	22	0.16	0.02	1.1	1.9	179	3.5	
21CLM-147	279.4	282.3	2.9	1.7	116	0.04	0.02	2.4	2.0	327	6.3	
inc.	281.9	282.3	0.4	0.2	358	0.05	0.08	7.9	8.5	1134	22.0	
	346.2	346.4	0.2	0.1	1	0.02	0.09	0.0	29.5	1536	29.7	
	405.9	409.8	3.9	2.3	86	0.16	0.19	1.4	1.5	258	5.0	
	424.6	438.1	13.5	7.9	74	0.13	0.12	1.2	1.8	243	4.7	
inc.	432.1	435.8	3.8	2.2	149	0.31	0.22	2.3	3.4	469	9.1	
21CLM-148	353.3	357.6	4.3	2.6	159	0.09	0.07	2.4	3.5	455	8.8	
inc.	353.3	353.8	0.5	0.3	428	0.24	0.08	6.1	1.5	786	15.2	
and inc.	356.9	357.6	0.7	0.4	64	0.02	0.16	1.0	11.6	724	14.0	
	379.1	388.3	9.2	5.6	59	0.23	0.07	1.4	1.9	240	4.7	
inc.	379.1	382.0	2.9	1.7	139	0.38	0.09	3.1	3.8	506	9.8	
21CLM-149	344.7	346.3	1.6	1.0	375	0.23	0.14	7.3	0.4	729	14.1	
	429.7	438.8	9.1	5.4	121	0.03	0.39	0.7	0.5	222	4.3	
21CLM-151	111.4	118.8	7.4	5.5	10	0.54	0.02	0.2	0.1	70	1.4	
	190.0	194.8	4.8	3.6	3	1.21	0.00	0.1	0.1	106	2.0	
	385.0	387.2	2.1	1.8	161	0.14	0.03	4.9	3.0	532	10.3	
inc.	386.7	387.2	0.5	0.4	422	0.41	0.07	13.2	9.1	1475	28.6	
	420.5	449.3	28.8	24.1	17	0.02	0.30	0.0	0.1	59	1.1	
inc.	424.7	426.9	2.2	1.8	69	0.05	1.85	0.0	0.2	294	5.7	
21CLM-153	311.8	313.4	1.6	0.9	333	0.20	0.02	0.1	0.2	367	7.1	
	337.2	338.0	0.8	0.4	61	2.59	0.00	1.0	0.1	305	5.9	
	493.6	495.9	2.3	1.3	68	0.09	0.03	0.4	0.4	113	2.2	
21CLM-156	168.9	170.9	1.9	1.4	37	0.03	0.19	1.2	6.8	462	8.9	
	177.0	185.6	8.6	6.1	32	0.06	0.05	1.1	0.8	130	2.5	
21CLM-158	102.0	102.8	0.8	0.5	452	0.52	0.06	2.8	0.6	646	12.5	
	138.8	139.5	0.8	0.5	27	3.02	0.41	0.0	0.1	311	6.0	
	208.2	209.7	1.5	1.0	140	0.08	0.01	1.0	0.1	193	3.7	
21CLM-161	128.0	131.7	3.7	2.5	132	0.06	0.51	2.0	0.3	294	5.7	
inc.	130.3	131.7	1.3	0.9	312	0.12	0.80	5.3	0.3	648	12.5	
	181.7	190.0	8.3	5.6	55	0.06	0.03	1.2	0.5	138	2.7	
21CLM-162	128.7	129.9	1.2	0.9	139	0.21	0.02	3.2	0.4	311	6.0	
	154.5	156.4	1.9	1.5	602	0.15	1.97	0.7	0.3	878	17.0	
	210.6	211.7	1.1	0.9	75	0.08	0.06	3.5	0.5	257	5.0	
	219.0	220.8	1.8	1.4	59	0.03	0.05	1.1	0.3	129	2.5	
21CLM-164	285.1	286.5	1.3	0.9	414	0.05	0.15	8.2	3.6	960	18.6	
	293.7	309.9	16.3	10.8	102	0.04	0.05	1.8	1.7	273	5.3	
inc.	297.5	299.7	2.1	1.4	383	0.10	0.13	7.9	10.2	1258	24.4	
21CLM-165	143.0	143.7	0.7	0.4	149	0.24	0.01	3.9	2.9	482	9.3	
21CLM-165	231.5	231.9	0.3	0.2	116	0.12	0.02	2.6	1.2	295	5.7	
HOLE LOST IN SUSPECTED WORKINGS												
21CLM-166	279.2	280.4	1.2	0.8	96	0.15	0.08	1.1	0.2	170	3.3	

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

LA BOCONA TARGET (Continued)

Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
21CLM-167	7.0	7.5	0.5	0.3	12	0.02	0.05	0.0	3.5	203	3.9
	239.4	241.0	1.7	1.3	263	0.18	0.01	6.0	1.2	589	11.4
inc.	240.3	241.0	0.7	0.6	543	0.42	0.02	12.7	1.0	1154	22.3
	391.6	399.1	7.5	5.9	10	0.14	0.00	0.1	0.1	28	0.5
21CLM-168	300.3	301.5	1.2	1.0	106	0.09	0.02	0.3	0.2	139	2.7
	326.5	330.9	4.4	3.7	69	0.03	0.11	0.7	0.2	121	2.4
inc.	329.8	330.9	1.1	1.0	173	0.05	0.11	0.5	0.2	215	4.2
21CLM-170	328.7	331.4	2.8	2.5	7	0.02	0.13	0.0	10.6	573	11.1
inc.	329.9	330.7	0.8	0.7	14	0.03	0.35	0.0	21.0	1141	22.1

NORTH FELSITE TARGET

Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
21CLM-172	210.5	211.2	0.7	0.4	313	0.25	0.07	7.0	1.3	698	13.5
	287.8	288.7	0.9	0.5	180	0.06	0.36	3.7	0.5	406	7.9
	293.2	293.6	0.4	0.2	62	0.05	0.06	1.8	0.4	167	3.2
21CLM-173	249.6	250.1	0.5	0.3	87	0.42	0.06	2.2	11.9	830	16.1
21CLM-173	328.0	329.6	1.6	0.9	5	0.46	0.22	0.0	1.2	126	2.4
21CLM-174	157.1	157.6	0.5	0.3	147	0.02	0.00	2.1	0.1	240	4.6
21CLM-175	224.0	226.7	2.7	1.9	599	0.08	0.03	16.9	10.2	1830	35.4
inc.	224.0	225.2	1.2	0.8	760	0.07	0.03	23.2	17.4	2623	50.8

SOUTH SKARN TARGET

Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
12CLM-031	72.5	107.3	34.8	UNK	4	0.02	0.06	0.0	1.2	76	1.5
inc.	104.9	107.3	2.4	UNK	16	0.03	0.22	0.0	9.8	551	10.7
11CLM-033	NSV										
12CLM-040	18.6	19.0	0.4	UNK	321	0.72	0.01	5.6	6.2	925	17.9
	200.5	201.0	0.5	UNK	92	0.11	0.01	3.0	0.6	257	5.0
	255.7	266.7	11.0	UNK	13	0.01	0.19	0.1	1.0	88	1.7
12CLM-055	180.6	200.7	20.1	12.5	13	0.77	0.01	0.3	0.2	93	1.8
inc.	193.7	198.0	4.3	2.7	28	2.78	0.02	0.5	0.3	278	5.4
	224.1	228.4	4.3	2.7	89	1.43	1.81	0.1	0.2	419	8.1
	256.4	258.6	2.2	1.7	55	0.02	0.03	1.1	1.3	174	3.4
13CLM-063	228.6	230.2	1.6	1.1	160	1.03	0.09	3.3	0.4	402	7.8
13CLM-067	194.1	195.6	1.5	1.0	3	0.15	0.01	1.9	0.3	108	2.1
13CLM-068	285.4	299.3	13.9	8.4	136	0.24	0.03	2.4	1.3	326	6.3
inc.	285.4	287.8	2.4	1.5	546	0.18	0.15	10.3	3.8	1199	23.2
	307.0	307.9	0.9	0.5	1140	0.42	0.10	18.1	21.0	3015	58.4
13CLM-069	380.5	382.7	2.2	1.2	225	0.72	0.17	3.5	0.5	468	9.1
13CLM-073	433.5	433.9	0.4	0.2	21	0.22	0.75	0.0	3.4	300	5.8
	449.6	454.2	4.6	2.5	15	0.06	0.43	0.0	0.0	70	1.4
14CLM-074	160.5	165.2	4.8	2.2	16	0.33	0.01	0.7	1.5	145	2.8
inc.	163.9	165.2	1.3	0.6	46	1.12	0.02	1.8	4.9	458	8.9
	418.7	423.2	4.8	2.2	24	0.13	0.51	0.0	0.1	95	1.8
14CLM-075	850.8	852.5	1.7	UNK	129	0.06	0.04	0.2	0.0	149	2.9
15CLM-079	138.3	140.3	2.0	1.3	64	0.37	0.02	5.4	2.9	467	9.0
	393.0	399.0	6.0	3.9	23	2.49	0.00	0.2	0.1	225	4.4
inc.	395.0	396.0	1.0	0.7	41	11.70	0.01	0.1	0.0	945	18.3
	461.9	468.5	6.6	4.3	135	0.02	0.03	1.6	0.4	228	4.4
inc.	461.9	463.7	1.8	1.2	300	0.04	0.03	2.0	0.5	413	8.0
and inc.	467.3	468.5	1.2	0.7	227	0.02	0.10	4.8	1.4	511	9.9
20CLM-118	170.1	177.0	6.9	4.0	109	0.14	0.02	1.8	2.1	302	5.9
inc.	174.2	175.4	1.2	0.9	412	0.14	0.06	7.8	9.2	1226	23.7
	188.8	190.0	1.1	0.8	132	0.12	0.02	2.8	2.0	361	7.0

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

SOUTH SKARN TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
20CLM-119	95.0	96.5	1.5	1.1	54	2.83	0.01	3.6	0.4	444	8.6	
	206.4	210.7	4.3	3.2	99	0.27	0.01	0.7	0.6	178	3.4	
inc.	206.4	207.6	1.2	0.9	216	0.22	0.01	0.8	0.1	274	5.3	
	226.1	235.1	9.0	6.7	625	0.11	0.03	11.8	7.5	1512	29.3	
inc.	226.1	228.4	2.3	1.7	1338	0.15	0.04	25.9	17.6	3334	64.6	
and inc.	232.0	233.3	1.3	0.9	1480	0.09	0.04	26.5	16.8	3454	66.9	
	241.5	243.0	1.6	1.2	112	0.07	0.02	2.2	2.1	321	6.2	
20CLM-120	343.8	345.7	1.9	1.4	101	0.08	0.00	0.9	0.2	157	3.0	
	423.7	424.5	0.8	0.6	9	0.01	0.06	0.0	4.3	239	4.6	
	429.0	432.6	3.7	2.7	511	0.10	0.13	5.0	3.7	933	18.1	
inc.	431.8	432.6	0.9	0.6	902	0.05	0.16	7.8	8.4	1680	32.5	
	441.0	442.3	1.3	1.0	51	0.07	0.06	1.5	1.1	182	3.5	
	450.8	452.9	2.1	1.6	182	0.23	0.21	4.4	4.1	617	12.0	
20CLM-122	390.7	391.9	1.2	0.9	97	0.18	0.01	0.2	0.2	126	2.4	
	417.8	419.0	1.2	0.9	247	0.19	0.07	4.7	1.2	526	10.2	
	435.0	442.8	7.8	5.8	66	0.05	0.02	0.4	0.2	98	1.9	
inc.	442.1	442.8	0.6	0.5	237	0.07	0.02	0.9	0.2	292	5.7	
20CLM-124	397.2	402.1	5.0	3.3	304	0.11	0.18	4.8	1.9	628	12.2	
inc	400.1	401.0	0.8	0.6	607	0.15	0.49	11.0	3.4	1302	25.2	
	475.0	490.6	15.6	10.4	172	0.08	0.15	3.8	3.7	542	10.5	
inc.	475.0	483.7	8.7	5.8	286	0.11	0.27	6.4	5.8	887	17.2	
inc.	475.0	475.9	0.9	0.6	975	0.05	1.27	21.2	18.5	2953	57.2	
	498.0	499.9	1.9	1.2	303	0.05	0.02	7.1	5.8	899	17.4	
inc.	499.0	499.9	0.9	0.6	544	0.05	0.02	13.1	9.1	1561	30.2	
	524.0	525.4	1.4	0.9	305	0.48	1.08	4.0	2.5	762	14.8	
20CLM-126	559.2	565.8	6.6	4.4	95	0.06	0.06	0.7	1.2	195	3.8	
inc.	564.8	565.8	1.0	0.7	398	0.16	0.24	2.7	4.0	756	14.6	
20CLM-130	207.8	209.3	1.6	1.0	327	0.03	0.03	5.6	11.5	1160	22.5	
	225.4	229.0	3.6	2.3	27	0.22	0.01	2.1	0.6	162	3.1	
	550.2	553.8	3.6	2.3	78	0.03	0.11	0.4	1.6	189	3.7	
	558.8	559.7	1.0	0.6	159	0.07	0.07	0.8	7.6	599	11.6	
	563.1	571.7	8.6	5.5	58	0.04	0.09	0.1	2.3	196	3.8	
inc.	563.7	564.1	0.5	0.3	89	0.07	0.16	0.1	9.0	581	11.2	
20CLM-133	228.0	229.3	1.3	0.8	373	0.54	0.04	3.9	3.6	766	14.8	
	232.4	233.2	0.8	0.5	281	0.11	0.09	2.8	4.2	634	12.3	
	278.7	279.6	1.0	0.6	68	0.06	0.11	0.4	0.3	116	2.2	
21CLM-150	277.0	283.5	6.6	4.5	13	0.05	0.01	2.5	0.2	129	2.5	
	348.0	349.5	1.6	1.1	311	0.23	0.03	0.3	0.0	347	6.7	
21CLM-152	212.5	214.4	1.9	UNK	71	0.08	0.12	1.2	2.4	265	5.1	
inc.	212.5	213.1	0.6	UNK	172	0.08	0.19	2.8	5.1	577	11.2	
	389.3	390.0	0.7	0.4	56	0.07	0.54	0.1	0.1	131	2.5	

Cerro Las Minitas Property, Durango, Mexico
2011-2021 Composite Summary Spreadsheet Divided by Zone

SOUTH SKARN TARGET (Continued)												
Hole No.	From m	To m	Interval m	Est. tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
21CLM-154	133.3	138.3	5.0	3.3	57	0.36	0.00	4.2	1.1	314	6.1	
	inc. 134.5	137.2	2.7	1.8	61	0.42	0.00	6.9	1.4	449	8.7	
	235.8	239.2	3.3	2.2	77	1.14	0.00	1.4	0.5	251	4.9	
	inc. 238.6	239.2	0.6	0.4	235	1.17	0.01	6.2	1.1	638	12.3	
	331.0	332.8	1.8	1.2	162	0.07	0.01	2.8	1.2	343	6.6	
	400.7	403.6	2.9	2.5	106	0.25	0.03	2.8	1.3	311	6.0	
	413.6	415.8	2.3	1.9	159	0.06	0.04	1.2	1.0	269	5.2	
	inc. 413.6	414.6	1.0	0.9	289	0.13	0.07	1.8	0.7	415	8.0	
	419.8	421.1	1.3	1.1	135	0.17	0.07	1.8	1.9	327	6.3	
	425.6	426.8	1.1	1.0	227	0.09	0.02	3.7	1.9	484	9.4	
21CLM-155	312.8	314.7	1.9	1.5	6	2.95	0.00	0.4	0.1	255	4.9	
	319.3	320.7	1.4	1.1	149	8.77	0.02	1.5	1.1	945	18.3	
	345.1	363.2	18.1	14.0	162	0.18	0.02	1.4	0.5	261	5.1	
inc.	345.1	349.2	4.0	3.1	358	0.18	0.02	3.2	0.4	528	10.2	
and inc.	362.7	363.2	0.6	0.4	1150	0.07	0.32	6.0	2.7	1582	30.6	
	367.2	368.8	1.6	1.2	154	0.02	0.02	2.4	2.6	393	7.6	
	467.9	469.5	1.6	1.3	105	0.03	0.04	1.0	0.3	170	3.3	
	477.1	477.7	0.5	0.4	199	0.08	1.24	1.9	2.7	563	10.9	
	485.4	488.2	2.8	2.3	118	0.05	0.19	1.0	1.2	244	4.7	
inc.	485.4	486.3	0.9	0.7	231	0.11	0.52	1.3	2.5	481	9.3	
21CLM-157	95.6	103.6	8.0	6.3	41	0.07	0.01	1.7	0.7	154	3.0	
21CLM-159	158.2	160.3	2.1	1.5	91	0.09	0.01	1.7	0.5	198	3.8	
	167.5	169.2	1.7	1.2	71	0.09	0.02	1.4	0.8	182	3.5	
	174.7	176.7	2.0	1.4	184	0.29	0.05	3.3	2.7	489	9.5	
	181.2	186.2	5.0	3.6	93	0.09	0.01	2.0	1.6	263	5.1	
	190.0	192.0	2.0	1.4	719	0.03	0.01	14.2	16.0	2135	41.3	
inc.	190.0	191.5	1.5	1.1	946	0.04	0.01	18.7	21.1	2810	54.4	
	195.2	199.2	4.0	2.8	97	0.16	0.05	1.6	2.7	319	6.2	
	205.4	208.2	2.8	2.0	144	0.08	0.04	2.2	1.2	309	6.0	
inc.	207.7	208.2	0.5	0.4	541	0.03	0.09	8.8	4.0	1122	21.7	
21CLM-160	154.1	155.2	1.1	0.7	99	0.15	0.02	1.2	1.2	220	4.3	
21CLM-163	NSV											

NORTH SKARN TARGET												
Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %	
11CLM-003	18.9	19.9	1.0	UNK	86	0.27	1.73	0.0	0.0	307	5.9	
	262.8	263.3	0.4	UNK	164	0.04	1.16	3.3	6.8	785	15.2	
	283.5	283.9	0.4	UNK	382	0.12	0.07	6.3	1.6	741	14.3	
	419.6	436.2	16.6	UNK	55	0.02	0.80	0.3	1.5	237	4.6	
inc.	428.8	430.3	1.5	UNK	72	0.02	1.45	0.5	1.6	341	6.6	
and inc.	432.0	433.6	1.6	UNK	62	0.02	1.25	0.4	1.5	298	5.8	
11CLM-004	155.6	156.0	0.4	UNK	152	0.17	0.00	0.5	0.0	186	3.6	
11CLM-005	NSV											
11CLM-020	197.8	198.4	0.7	UNK	120	0.02	0.02	5.4	1.9	446	8.6	
12CLM-050	123.9	125.0	1.1	UNK	69	0.01	0.19	2.7	2.5	331	6.4	
12CLM-058	102.3	103.6	1.3	UNK	466	0.43	0.17	0.3	0.0	533	10.3	
15CLM-084	103.5	104.5	1.0	UNK	153	0.03	0.61	6.2	6.7	669	12.9	
15CLM-086	103.2	103.6	0.4	UNK	108	0.01	0.04	6.7	1.6	475	9.2	
	201.3	203.4	2.1	UNK	79	0.04	0.03	2.2	1.7	264	5.1	
inc.	202.9	203.4	0.4	UNK	307	0.16	0.08	8.8	5.6	978	18.9	

NORTH IP TARGET

Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-009	<i>Lost</i>										
12CLM-039	NSV										
12CLM-052	NSV										
15CLM-085	NSV										

OTHER TARGETS

Hole No.	From m	To m	Interval m	Est. Tr. Thck. m	Ag g/t	Au g/t	Cu %	Pb %	Zn %	AgEq g/t	ZnEq %
11CLM-001	296.2	297.4	1.2	UNK	99	0.01	0.14	0.0	0.0	120	2.3
11CLM-007	178.2	178.8	0.6	UNK	71	0.12	0.00	0.9	0.1	121	2.3
13CLM-064	NSV										
13CLM-065	NSV										
13CLM-070	NSV										
17CLM-102	NSV										
17CLM-104	NSV										
21CLM-171	99.5	100.6	1.1	UNK	89	0.07	0.06	0.8	0.4	142	3.6

Notes:

1. Silver Equivalent and Zinc Equivalent for the Blind, El Sol, Las Victorias and Skarn Front Zones was calculated using the parameters in the May 2019 Technical Report
2. Silver Equivalent and Zinc Equivalent for all other zones was calculated using prices of \$1275/oz for Au, \$16.6/oz for Ag, \$2.75/lb for Cu, \$1.00/lb for Pb and \$1.25 for Zn. Calculations in these zones did not account for relative metallurgical recoveries of the metals